NuTone®

Kitchen Ventilation

Conventional Range Hood Collection

Solutions to meet the needs of today's kitchen

NuTone®

Why kitchens need ventilation

Cooking smoke and greasy build-up are more than unpleasant. They're unhealthy. In fact, cooking churns out airborne contaminants like nothing else in the home can.

As the residential ventilation leader, NuTone offers more

The NuTone Range Hood Collection

NuTone offers a complete line of range hoods built to exacting quality and industry standards. Impeccably designed, these sleek, stunning units are sure to satisfy your kitchen's style and ventilation needs.

Conventional
Quiet, effective and beautifully styled
Pages 4-7

Custom
Complements any existing kitchen design
Pages 8-9

ACCESSORIES & SPECIFICATIONS
Pages 10-11

You can count on NuTone to help keep your kitchen cleaner and healthier for years to come. From high-performance ducted models to the most effective non-ducted units ever made, NuTone is the ideal way to bring style and ventilation into your kitchen.

range hoods than anyone.

Remember to find the right solution for the right job. ***Over-the-range microwaves don't effectively capture smoke and odours and could potentially harm children.***

c UL

2100 HVI CERTIFIED

NuTone®

WS3 SERIES

An impressive top performer, WS3 combines premium features like three-speed electronic control plus boost-speed mode, delay-off and filter cleaning reminder with a deluxe, Teflon-coated surface for unparalleled style and ease of operation.

- Three-speed electronic control with Boost Mode.
- Three-level light settings; dual halogen bulbs (PAR20) not included.
- Delay-off operation and filter cleaner reminder.
- Advanced Heat Sentry™ detects excessive heat and adjusts hood speed for proper ventilation.
- Easy-to-clean DuPont Teflon® bottom pan; fully enclosed underside.
- Professional style filters; dishwasher safe.
- Four-way convertibility 3-1/4" x 10" (horizontal or vertical), 7" round (vertical) and non-ducted.
- Includes 3-1/4" x 10" damper/adapter.

Unsurpassed Quiet
Quieter than the average range hood

Easiest To Clean
Non-stick coating for fast, simple clean up

Better Lighting
Halogen bulbs illuminate the entire cooktop

High Performance
Powerful yet quiet design optimizes ventilation performance



2100 HVI CERTIFIED

WS3 SERIES

WIDTH	WHITE	ALMOND	BLACK	STAINLESS STEEL
30"	WS330WWC	WS330AAC	WS330BLC	WS330SSC

VOLTS	AMPS	SONES NORMAL SETTING	SONES HIGH SETTING	CFM BOOST MODE	DUCT
120	2.9	0.4**	4.5**	430**	3-1/4" x 10" or 7" RD***

*Halogen Bulbs: PAR20 flood (not included)

**Normal setting: 100 CFM, High setting: 300 CFM, Boost mode: 8 sones ***Damper and adopter sold separately

Options

Replacement Charcoal Filter 30"	BPSF30
Replacement Aluminum Filter 30"	BPS3FA30

Refer to pages 10-11 for complete technical specifications |

Conventional Range Hoods

WS2 SERIES

The WS2 sets a new standard for style, quiet and ease of cleaning. Attractive and efficient, this collection provides the style and performance you demand.

- Three-speed electronic control.
- Three-level light settings; dual halogen bulbs (PAR20) not included.
- Heat Sentry™ detects excessive heat and turns unit to high automatically.
- Easy-to-clean DuPont Teflon® bottom pan; fully enclosed underside.
- Micromesh filters; dishwasher safe.
- Four-way convertibility 3-1/4" x 10" (horizontal or vertical), 7" round (vertical) and non-ducted.
- Includes 3-1/4" x 10" damper/adapter.

Options

Replacement Charcoal Filter	BPSF30
Replacement Aluminum Filter	BPS2FA30

WS2 AND WS1 SERIES

	WIDTH	WHITE	BISCUIT	ALMOND	BLACK	STAINLESS STEEL
WS2	30"	WS230WWC	WS230BCC	WS230AAC	WS230BLC	WS230SSC
WS1	30"	WS130WWC	-	WS130AAC	WS130BLC	WS130SSC

	VOLTS	AMPS	SONES NORMAL SETTING	SONES HIGH SETTING	CFM HIGH	DUCT
WS2	120	2.0	0.9**	4.5	300	3-1/4" x 10" or 7" RD***
Ws1	120	1.8	1.5**	5.0	220	3-1/4" x 10" or 7" RD***

*Halogen Bulbs: PAR20 flood (not included) **Normal setting: 100 CFM for WS2 and 150 CFM for WS1 ***Damper and adopter sold separatley



HVI CERTIFIED 2100

WS1 SERIES

The quietest range hood in its category, the WS1 offers revolutionary performance along with the brilliance of halogen lighting.

- Two-speed rocker switch control.
- Two-level light setting; dual halogen bulbs (PAR20) not included.
- Fully enclosed design for easy cleaning.
- Aluminum filters; dishwasher safe.
- Four-way convertibility 3-1/4" x 10" (horizontal or vertical), 7" round (vertical) and non-ducted.
- Includes 3-1/4" x 10" damper/adapter.

Options

Replacement Charcoal Filter	BPSF30
Replacement Aluminum Filter	BPS1FA30

NuTone®

WA SERIES

Consumer research shows that most people use their range hoods less frequently because of loud fan noise. That's why the WA hoods were developed. With our patented air chamber design, noise is reduced up to 40% over conventional range hoods.

- Rotary control for variable speed selection.
- Dual 40-watt lamps, 2-level lighting including night-light feature (bulbs not included).
- Four-way convertibility 3-1/4" x 10" (vertical or horizontal), 7" round (vertical) or non-ducted. Non-ducted filter sold separately.
- Includes 3-1/4" x 10" damper/adapter.

Options

Replacement Charcoal Filter	RFQTC
Replacement Aluminum Filter	RFQTA



HVI CERTIFIED

WA SERIES

WIDTH	WHITE	ALMOND	BLACK	STAINLESS STEEL
30"	WA6530WW	WA6530AA	WA6530BL	WA6530SS

		SONES		CFM		
VOLTS	AMPS	Ver.	Hor.	Ver.	Hor.	DUCT
120	1.7	5.0	6.0	210	180	3-1/4" x 10" or 7" RD

SM SERIES

Made to exacting standards, the SM Series range hood is ideal for homeowners who cook occasionally yet require a variable-speed control for different types of cooking.

- Rotary control for variable-speed selection.
- Bright 75-watt light bulb with diffuser offering 2 lighting levels (bulb not included).
- Easily installs as 3-1/4" x 10" vertical or horizontal discharge; 7" round vertical discharge or non-ducted. Non-ducted filter sold separately.
- Includes 3-1/4" x 10" damper and adapter.

Options

Replacement Charcoal Filter	FKM65
Replacement Aluminum Filter	RLSM65



HVI CERTIFIED

SM SERIES

WIDTH	WHITE	WHITE W/ BLACK TRIM	ALMOND	BLACK	STAINLESS STEEL
30"	SM6530WW	SM6530WH	SM6530AL	SM6530BL	SM6530SS

		SONES		CFM		
VOLTS	AMPS	Ver.	Hor.	Ver.	Hor.	DUCT
120	1.9	7.0	8.0	190	190	3-1/4" x 10" or 7" RD

Conventional Range Hoods

RL SERIES

Perfect for replacement as well as new installations, this powerful convertible twin blower Basic Performance range hood is ideal for use with any electric range.

- Two-speed fan blade motor.
- 75-watt light with diffuser (bulb not included).
- Four-way convertibility; installs ducted 3-1/4" x 10" (vertical or horizontal), 7" round (vertical) and non-ducted. Non-ducted filter sold separately.
- Includes 3-1/4" x 10" damper and adapter.
- Dishwasher-safe aluminum filter.

Options

Replacement Charcoal Filter	FKM65
Replacement Aluminum Filter	RLSM65

RL SERIES

WIDTH	WHITE	ALMOND	WHITE W/ BLACK TRIM
24"	RL6124FWW	RL6124FAL	-
30"	RL6130FWW	RL6130FAL	RL6130FWH

VOLTS	AMPS	SONES Ver.	SONES Hor.	CFM Ver.	CFM Hor.	DUCT
120	1.7	7.5	7.0	180	180	3-1/4" x 10" or 7" RD



2100 HVI CERTIFIED

RLC SERIES

Designed with simplicity in mind, the RLC Series range hood provides the high quality you expect and the value you demand.

- Two-speed fan blade motor.
- 75-watt light with diffuser (bulb not included).
- 3-1/4" x 10" vertical or horizontal ducted installation only.
- Includes 3" x 10" damper and adapter.
- Dishwasher-safe aluminum filter.

Option

Replacement Aluminum Filter	RLSM65

RLC SERIES

WIDTH	WHITE	VOLTS	AMPS	SONES Ver.	SONES Hor.	CFM Ver.	CFM Hor.	DUCT
30"	RL6130WWC	120	1.6	6.5	6.5	160	160	3-1/4" x 10"



2100 HVI CERTIFIED

NuTone®

PM390 SERIES

This integrated unit provides the ventilation and lighting you need for your custom application.

- Silver painted finish.
- Three-speed, slide control.
- Heat Sentry™ detects excessive heat and adjusts speed automatically.
- Dual 40-watt lamps (bulbs sold separately).
- Dishwasher-safe aluminum filter.
- For ducted installations, includes adapter and damper for 6" round duct.
- Works with optional custom hood liners in 30", 36", "B" or "T" design.

Options

Replacement Charcoal Filter	B08999040
Replacement Aluminum Filter	B08087922
Non-Ducted Kit	357NDK



HVI 2100 CERTIFIED

PM390 SERIES

WIDTH	SILVER	VOLTS	AMPS	SONES	CFM	DUCT
20-1/2"	PM390	120	2.9	6.0	390	6" RD

*Includes charcoal filter. Some duct work is required for non-ducted applications.

LINERS FOR PM390 & PM250

NuTone "T" and "B" liners provide an elegant way to finish a traditional wood hood and protect cabinetry. They feature a durable silver painted finish and a 4" depth for good capture. Hemmed edges hide exposed edges, and pre-drilled mounting holes make installation easy.



LT



LB



LT SERIES

LT30
LT36

LB SERIES

LB30
LB36

Custom Range Hoods

PM250 SERIES

This integrated unit provides the ventilation and lighting you need for your custom application.

- Silver painted finish.
- Two-speed, rocker control.
- Dual 40-watt lighting (bulbs sold separately).
- Dishwasher-safe aluminum filter.
- Works with optional custom hood liners in 30", 36", "B" or "T" design.

Options

Replacement Charcoal Filter	B08999040
Replacement Aluminum Filter	B08087922
Non-Ducted Kit	356NDK

PM250 SERIES

WIDTH	SILVER	VOLTS	AMPS	SONES	CFM	DUCT
20-1/2"	PM250	120	2.1	8.0	250	7" RD**

*Includes charcoal filter. Some duct work is required for non-ducted applications (sold separately).
**7" round damper and adapter sold separately.



PM44/25 SERIES

These integrated modules provide the ventilation and lighting you need for your custom application.

PM44
- Variable-speed rotary controls.
- Enclosed light bulb with 2 settings (bulb sold separately).
- Includes damper/adapter for 3-1/4" x 10" duct installation.
- Two dishwasher-safe aluminum filters.

PM25
- Two-speed motor with rocker switch control.
- Enclosed lighting with 1 setting (bulb sold separately).
- Built-in 7" round duct adapter.
- Dishwasher-safe aluminum filters.

PM44

PM25

PM44/25 SERIES

WHITE	VOLTS	AMPS	SONES	CFM	NON-DUCTED DUCT
PM44WW	120	4.0	5.5	410	3-1/4" x 10"
PM25WW	120	2.5	6.0	250	7" RD

Options

REPLACEMENT KIT*	REPLACEMENT ALUMINUM FILTER	CHARCOAL FILTER
355NDK	R610080	R610081
354NDK	R610027	R610049

*Includes charcoal filter. Some duct work is required for non-ducted applications.

PM44



PM25



Replacement Filter Packs

The most popular and commonly used filters are available in consumer-friendly packs. NuTone filters are made from the highest quality materials to provide the longest life possible and keep your range hood operating at peak performance. NuTone also provides replacement filters for many other brands.



SERIES	PAGE	DUCTED INSTALLATION Model No.	NON-DUCTED INSTALLATION Model No.
CONVENTIONAL			
WS3	4	BPS3FA30	BPSF30
WS2	5	BPS2FA30	BPSF30
WS1	5	BPS1FA30	BPSF30
WA	6	RFQTA	RFQTC
SM	6	RLSM65	FKM65
RL	7	RLSM65	FKM65
RLC	7	RLSM65	–
CUSTOM			
PM390	8	B08087922	B08999040
PM250	9	B08087922	B08999040
PM44	9	R610080	R610081
PM25	9	R610027	R610049

NuTone®

SERIES	PAGE	DESCRIPTION	FINISHES	WIDTHS	LIGHTING Not included unless stated	FILTERS Included	BLOWERS	DUCT
CONVENTIONAL								
WS3	4	Range Hood	WW, AA, SS, BL	30"	Halogen Dual 50W	Professional Aluminum	Internal Centrifugal Blower	3-1/4" x 10" (V, H) 7" RD (V) Non-ducted
WS2	5	Range Hood	WW, BC, AA, SS, BL	30"	Halogen Dual 50W	Micromesh Aluminum	Internal Centrifugal Blower	3-1/4" x 10" (V, H) 7" RD (V) Non-ducted
WS1	5	Range Hood	WW, AA, SS, BL	30"	Halogen Dual 50W	Aluminum	Internal 10" Axial Blade	3-1/4" x 10" (V, H) 7" RD (V) Non-ducted
WA	6	Range Hood	WW, AA, SS, BL	30"	Dual 40W	Aluminum	Internal 8" Axial Blade	3-1/4" x 10" (V, H) Non-ducted
SM	6	Range Hood	WW, WH, AA, SS, BL	30"	Single 75W with diffuser	Aluminum	Internal Fan Blade	3-1/4" x 10" (V, H) Non-ducted
RL	7	Range Hood	WW, WH, AA	24", 30"	Single 75W with diffuser	Aluminum	Internal Fan Blade	3-1/4" x 10" (V, H) Non-ducted
RLC	7	Range Hood	WW	30"	Single 75W with diffuser	Aluminum	Internal Fan Blade	3-1/4" x 10" (V, H)
CUSTOM								
PM390	8	Power Module	Silver	20-1/2"	Dual 40W	Aluminum with Light Lens	Internal Centrifugal Blower	6" RD (V) Non-ducted Kit 357NDK
PM250	8	Power Module	Silver	20-1/2"	Dual 40W	Aluminum with Light Lens	Internal Fan Blade	7" RD (V) Non-ducted Kit 356NDK
PM44	9	Power Module	WW, BL	22"	Enclosed Single 75W	Aluminum	Internal Dual Centrifugal Blower	3-1/4" x 10" (V) Non-ducted Kit 355NDK
PM25	9	Power Module	WW, BL	16-3/8"	Enclosed Single 60W	Aluminum with Light Lens	Internal Fan Blade	7" RD (V) Non-ducted Kit 354NDK

SS = Stainless Steel
BL = Black on Black
AA = Almond on Almond
BC = Bisque/Biscuit on Bisque/Biscuit
WW = White on White
WH = White with Black Trim

Accessories & Specifications

Ducting Installation Accessories

NuTone has developed a complete selection of durable, high quality accessories to accommodate all of your ducting installation needs.

	MODEL NO.	DESCRIPTION
	332KR	**Rough-In Kit**, 10" round duct.
	634	**Paintable Roof Cap** with backdraft damper and bird screen, 3 1/4" x 10" or up to 8" round duct. Black finish.
	644	**Aluminum Roof Cap** with backdraft damper and bird screen, 3 1/4" x 10" or up to 8" round duct. Natural finish.
	437	**High Capacity Roof Cap**, up to 1200 CFM exhaust.
	612	**Aluminum Roof Cap for Flat Roofs**, 10" round duct.
	639	**Paintable Wall Cap** with backdraft damper and bird screen, 3 1/4" x 10" duct. Black finish.
	WC638	**Paintable Wall Cap** with backdraft damper and bird screen, 3 1/4" x 14" duct. Black finish.
	641	**Aluminum Wall Cap** for 6" round duct, with backdraft damper and bird screen.
	647	**Aluminum Wall Cap** for 7" round duct, with backdraft damper and bird screen.

	MODEL NO.	DESCRIPTION
	643	**Aluminum Wall Cap**, 8" round duct with damper.
	441	**Wall Cap** with gravity damper, 13 1/8" sq. fits 10" round duct.
	BP87	**7" vertical discharge damper.**
	421	**10" vertical discharge in-line damper.**
	414	**8" to 10" expander.**
	423	**Vertical Transition**, 4 1/2" x 18 1/2" to 10" round.
	424	**Rear Transition**, 4 1/2" x 18 1/2" to 10" round.
	427	**Thin Wall Horizontal Transition**, 4 1/2" x 18 1/2 to 10" round.
	453	**Horizontal Left Transition**, 4 1/2" x 18 1/2" to 10" round (right-end boot).

	MODEL NO.	DESCRIPTION
	454	**Horizontal Right Transition**, 4 1/2" x 18 1/2" to 10" round (left-end boot).
	401	**3 1/4" x 10" duct**, 2' section.
	407	**7" round duct**, 2' section.
	410	**10" round duct**, 2' section.
	428	**3 1/4" x 10"**, vertical elbow.
	429	**3 1/4" x 10"**, horizontal elbow.
	430	**Short Eave Elbow** for 3 1/4" x 10" duct with backdraft damper and grill.
	415	**7" Adjustable Elbow** (carton of four).
	418	**10" Adjustable Elbow** (individual).

	CFM / SONES			CONTROL		HEIGHTS			MOUNT TYPE
	Vert. Rect.	Horiz. Rect.	Vert. Round	Type	Features	Mounting	Visible Shell	Ceiling	
	280/5.5 (110/0.3) Boost 380	300/4.5 (100/0.4) Boost 430	270/5.5 (100/0.4) Boost 350	Electronic Push	3 speed + Boost Delay-off, Filter Indicator, Advanced Heat Sentry™ High/Med/Low Light	24"-30"	7-1/4"	na	Under Cabinet
	280/5.5 (110/0.9)	300/4.5 (100/0.9)	280/5.0 (110/0.8)	Electronic Push	3 speed w/LED indicator Heat Sentry™ High/Med/Low Light	24"-30"	7-1/4"	na	Under Cabinet
	210/5.0 (110/1.5)	220/5.0 (110/1.5)	230/5.0 (120/1.5)	Rocker	2 speed w/ON indicator High/Low Light	24"-30"	7-1/4"	na	Under Cabinet
	210/5.0	180/6.0	210/5.0	Rotary	Variable speed High/Low Light	18"-24"	6"	na	Under Cabinet
	190/7.0	190/8.0	220/7.0	Rotary	Variable speed High/Low Light	18"-24"	6"	na	Under Cabinet
	180/7.5	180/7.0	210/7.0	Rocker	2 speed	18"-24"	6"	na	Under Cabinet
	160/6.5	160/6.5	190/6.5	Rocker	2 speed	18"-24"	6"	na	Under Cabinet
	na	na	390/6.0	Slide	3 speed	18"-24"	3-5/8"	na	Built-In
	na	na	250/8.0	Rocker	2 speed	18"-24"	3-5/8"	na	Built-In
	410/5.5	na	na	Rotary	Variable speed High/Low Light	18"-24"	7"	na	Built-In
	–	–	250/6.0	Rocker	2 speed	18"-24"	3-5/8"	na	Built-In

NuTone®

The leader in residential ventilation.

NuTone® is North America's leading manufacturer and distributor of residential ventilation products including range hoods, ventilation fans, heater/fan/light combination units, Indoor Air Quality (IAQ) Fresh Air Systems, built-in heaters, whole-house fans, attic ventilators and trash compactors.

BROAN-NUTONE
CANADA INC.

1140 Tristar Drive
Mississauga, Ontario
L5T 1H9

www.NuTone.ca

Customer Service:
Phone: (905) 670-2500
1 888 882-7626

Fax: (905) 795-8311
1 800 795-7829

Email: info@broan-nutone.ca

©2007 Broan-NuTone Canada Inc. Specifications subject to change without notice.

0 55321 90105 5

85074 06/08